

# Your Brain on Java—A Learner's Guide

*2nd Edition - Covers Java 5.0*

# Head First Java

Learn how threads  
can change your life



Make Java concepts  
stick to your brain



Avoid embarrassing  
OO mistakes

Fool around in  
the Java Library



Bend your mind  
around 42  
Java puzzles



Make attractive  
and useful GUIs



O'REILLY®

Kathy Sierra & Bert Bates

# Index

## Symbols

- &, &&, |, || (boolean operators) 151, 660
- &, <<, >>, >>>, ^, |, ~ (bitwise operators) 660
- ++ – (increment/decrement) 105, 115
- + (String concatenation operator) 17
- . (dot operator) 36
  - reference 54
- <, <=, ==, !=, >, >= (comparison operators) 86, 114, 151
- <, <=, ==, >, >= (comparison operators) 11

## A

- abandoned objects. *See* garbage collection
- abstract
  - class 200–210
  - class modifier 200
- abstract methods
  - declaring 203
- access
  - and inheritance 180
  - class modifiers 667
  - method modifiers 81, 667
  - variable modifiers 81, 667
- accessors and mutators. *See* getters and setters
- ActionListener interface 358, 358–361
- addActionListener() 359–361
- advice guy 480, 484
- Aeron™ 28
- animation 382–385
- API 154–155, 158–160
  - ArrayList 532
  - collections 558

- appendix A 649–658
  - beat box final client 650
  - beat box final server 657
- appendix B
  - access levels and modifiers 667
  - assertions 662
  - bit manipulation 660
  - block scope 663
  - immutability 661
  - linked invocations 664
  - multidimensional arrays 670
  - String and StringBuffer methods 669
- apples and oranges 137
- arguments
  - method 74, 76, 78
  - polymorphic 187
- ArrayList 132, 133–138, 156, 208, 558
  - API 532
  - ArrayList<Object> 211–213
  - autoboxing 288–289
  - casting 229
- arrays
  - about 17, 59, 135
  - assigning 59
  - compared to ArrayList 134–137
  - creation 60
  - declaring 59
  - length attribute 17
  - multidimensional 670
  - objects, of 60, 83
  - primitives, of 59
- assertions
  - assertions 662
- assignments, primitive 52
- assignments, reference variables 55, 57, 83
- atomic code blocks 510–512. *See also* threads

audio. *See* midi

autoboxing 288–291  
    and operators 291  
    assignments 291

## B

bark different 73

bathtub 177

beat box 316, 347, 472. *See also* appendix A

beer 14

behavior 73

Bela Fleck 30

bitwise operators 660

bit shifting 660

block scope 663

boolean 51

boolean expressions 11, 114  
    logical 151

BorderLayout manager 370–371, 401, 407

BoxLayout manager 411

brain barbell 33, 167, 188

break statement 105

BufferedReader 454, 478

BufferedWriter 453

buffers 453, 454

byte 51

bytecode 2

## C

Calendar 303–305  
    methods 305

casting

    explicit primitive 117  
    explicit reference 216  
    implicit primitive 117

catching exceptions 326

    catch 338

    catching multiple exceptions 329, 330, 332  
    try 321

catch blocks 326, 338

    catching multiple exceptions 329, 330, 332

chair wars 28, 166

char 51

chat client 486

    with threads 518

chat server (simple) 520

checked exceptions

    runtime vs. 324

checking account. *See* Ryan and Monica

check box (JCheckBox) 416

class

    abstract 200–210

    concrete 200–210

    designing 34, 41, 79

    final 283

    fully qualified names 154–155, 157

client/server 473

code kitchen

    beat box save and restore 462

    final beat box. *See* appendix A

    making the GUI 418

    music with graphics 386

    playing sound 339

coffee cups 51

collections 137, 533

    API 558

    ArrayList 137

    ArrayList<Object> 211–213

    Collections.sort() 534, 539

    HashMap 533

    HashSet 533

    LinkedHashMap 533

    LinkedList 533

    List 557

    Map 557, 567

    parameterized types 137

- Set 557
- TreeSet 533
- Collections.sort() 534, 539
  - Comparator 551
  - compare() 553
- Comparable 547, 566
  - and TreeSet 566
  - compareTo() method 549
- Comparator 551, 566
  - and TreeSet 566
- compare() 553
- compareTo() 549
- comparing with == 86
- compiler 2
  - about 18
  - java -d 590
- concatenate 17
- concrete classes 200–210
- conditional expressions 10, 11, 13
- constants 282
- constructors
  - about 240
  - chaining 250–256
  - overloaded 256
  - superclass 250–256
- contracts 190–191, 218
- cups 51
- curly braces 10

## D

- daily advice client 480
- daily advice server 484
- dancing girl 316
- dates
  - Calendar 303
  - methods 305
  - formatting 301
  - GregorianCalendar 303

- java.util.Date 303
- deadlock 516
- deadly diamond of death 223
- declarations
  - about 50
  - exceptions 335–336
  - instance variables 50
- default access 668
- default value 84
- deployment options 582, 608
- deserialized objects 441. *See also* serialization
- directory structures
  - packages 589
  - servlets 626
- doctor 169
- dot operator
  - reference 54
- double 51
- duck 277
  - construct 242
  - garbage collect 261
- ducking exceptions 335

## E

- EJB 631
- encapsulation
  - about 79–82
  - benefits 80
- end of book 648
- enumerations 671–672
- enums 671–672
- equality 560
  - and hashCode() 561
- equals() 561
- equals( )
  - about 209
  - Object class 209

## the index

- event handling 357–361
  - event object 361
  - listener interface 358–361
  - using inner classes 379
- event source 359–361
- exceptions
  - about 320, 325, 338
  - catch 321, 338
  - catching multiple exceptions 329, 332
  - checked vs. runtime 324
  - declaring 335–336
  - ducking 335–336
  - finally 327
  - flow control 326
  - handle or declare law 337
  - propagating 335–336
  - remote exceptions 616
  - throwing 323–326
  - try 321, 338
- executable JAR 585–586, 586
  - with packages 592, 592–593
- exercises
  - be the... 88, 118, 266, 310, 395
  - code magnets 20, 43, 64, 119, 312, 349, 467, 524–525
  - honeypot 267
  - true or false 311, 348, 466, 602
  - what’s the declaration 231
  - what’s the picture 230
  - which layout manager? 424
  - who am I 45, 89, 394
- Extreme Programming 101

## F

- File 452
- FileInputStream 441. *See also* I/O
- FileOutputStream 432
- FileReader 454. *See also* I/O
- files
  - File class 452

- reading from 441, 454
  - source file structure 7
  - writing to 432, 447
- FileWriter 447
- File class 452
- final
  - class 189, 283
  - methods 189, 283
  - static variables 282
  - variables 282, 283
- finally block 327
- fireside chats
  - about 18
- five minute mystery. *See* puzzles
- float 51
- FlowLayout 403, 408–410
- flow control
  - exceptions 326
- font 406
- formatting
  - dates 301–302
  - format specifiers 295–296
  - argument 300
  - numbers 294–295
  - printf() 294
  - String.format() 294
- for loops 105
- fully qualified name 154, 157
  - packages 587

## G

- garbage collection
  - about 40
  - eligible objects 260–263
  - heap 57, 58
  - nulling references 58
  - reassigning references 58
- generics 540, 542, 568–574
  - methods 544

- wildcards 574
- getters and setters 79
- ghost town 109
- giraffe 50
- girl dreaming
  - inner classes 375
  - Java Web Start 596
- girl in a tub 177
- girl who isn't getting it 182–188
- graphics 364–366. *See also* GUI
  - Graphics2D class 366
  - Graphics object 364
- GregorianCalendar 303
- guessing game 38
- GUI 406
  - about 354, 400
  - animation 382–385
  - BorderLayout 370–371, 401, 407
  - box layout 403, 411
  - buttons 405
  - components 354, 363–368, 400
  - event handling 357–361, 379
  - flow layout 403, 408
  - frames 400
  - graphics 363–367
  - ImageIcon class 365
  - JButton 400
  - JLabel 400
  - JPanel 400, 401
  - JTextArea 414
  - JTextField 413
  - layout managers 401–412
  - listener interface 358–361
  - scrolling (JScrollPane) 414
  - Swing 354
- GUI Constants
  - ScrollPaneConstants.HORIZONTAL\_SCROLL-  
BAR\_NEVER 415
  - ScrollPaneConstants.VERTICAL\_SCROLLBAR\_  
ALWAYS 415
- GUI methods

- drawImage() 365
- fillOval() 365
- fillRect() 364
- gradientPaint(). *See also* GUI
- paintComponent() 364
- setColor() 364
- setFont() 406
- GUI Widgets 354
  - JButton 354, 405
  - JCheckBox 416
  - JFrame 354, 400, 401
  - JList 417
  - JPanel 400, 401
  - JScrollPane 414, 417
  - JTextArea 414
  - JTextField 413

## H

- HAS-A 177–181
- hashCode() 561
- HashMap 533, 558
- HashSet 533, 558
- Hashtable 558
- heap
  - about 40, 57, 236–238
  - garbage collection 40, 57, 58

## I

### I/O

- BufferedReader 454, 478
- BufferedWriter 453
- buffers 453
- deserialization 441
- FileInputStream 441
- FileOutputStream 432
- FileWriter 447
- InputStreamReader 478
- ObjectInputStream 441
- ObjectOutputStream 432, 437
- serialization 432, 434–439, 437, 446, 460

## the index

- streams 433, 437
  - with sockets 478
- if-else 13
- if statement 13
- immutability, Strings
  - immutability 661
- implements 224
- imports
  - static imports 307
- import statement 155, 157
- increment 105
- inheritance
  - about 31, 166–192
  - and abstract classes 201
  - animals 170–175
  - IS-A 214, 251
  - super 228
- initializing
  - instance variables 84
  - primitives 84
  - static variables 281
- inner classes
  - about 376–386
  - events 379
- inner class threesome 381
- InputStreamReader 478
- instance variables
  - about 34, 73
  - declaring 84
  - default values 84
  - initializing 84
  - life and scope 258–263
  - local variables vs. 236–238, 239
  - static vs. 277
- instantiation. *See* objects
- int 50
  - primitive 51
- Integer. *See* wrapper
- interfaces

- about 219–227
- for serialization 437
- implementing 224, 437
- implementing multiple 226
- java.io.Serializable 437
- IP address. *See* networking
- IS-A 177–181, 251

## J

- J2EE 631
- JAR files
  - basic commands 593
  - executable 585–586, 592
  - manifest 585
  - running executable 586, 592
  - tool 593
  - with Java Web Start 598
- Java, about 5, 6
- javac. *See* compiler
- Java in a Nutshell 158–159
- java sound 317, 340
- Java Web Start 597–601
  - jnlp file 598, 599
- Jini 632–635
- JNLP 598
  - jnlp file 599
- JPEG 365
- JVM
  - about 2, 18
- JWS. *See* Java Web Start

## K

- keywords 53

## L

- l 264
- layout managers 401–412
  - BorderLayout 370–371, 403, 407

- BoxLayout 403, 411
- FlowLayout 403, 408–410
- lingerie, exceptions 329
- LinkedHashMap 533, 558
- LinkedHashSet 558
- LinkedList 533, 558
- linked invocations 664
- List 557
- listeners
  - listener interface 358–361
- literals, assigning values
  - primitive 52
- local
  - variables 85, 236, 236–238, 258–263
- locks
  - object 509
  - threads 509
- long 51
- loops
  - about 10
  - break 105
  - for 105
  - while 115
- lost update problem. *See* threads

## M

- main() 9, 38
- make it stick 53, 87, 157, 179, 227, 278
- manifest file 585
- Map 557, 567
- Math class
  - methods 274–278, 286
  - random() 111
- memory
  - garbage collection 260–263
- metacognitive tip 33, 108, 325
- methods
  - about 34, 78

- abstract 203
- arguments 74, 76, 78
- final 283
- generic arguments 544
- on the stack 237
- overloading 191
- overriding 32, 167–192
- return 75, 78
- static 274–278
- midi 317, 340–346, 387–390
- midi sequencer 340–346
- MINI Cooper 504
- modifiers
  - class 200
  - method 203
- multidimensional arrays 670
- multiple inheritance 223
- multiple threads. *See* threads
- music. *See* midi
- mystery. *See* puzzles

## N

- naming 53. *See also* RMI
  - classes and interfaces 154–155, 157
  - collisions 587
  - packages 587
- networking
  - about 473
  - ports 475
  - sockets 475
- new 55
- null
  - reference 262
- numbers
  - formatting 294–295

## O

- ObjectOutputStream 432, 437



objects

- about 55
- arrays 59, 60, 83
- comparing 209
- creation 55, 240–256
- eligible for garbage collection 260–263
- equality 560
- equals() 209, 561
- life 258–263
- locks 509

Object class

- about 208–216
- equals() 561
- hashCode() 561
- overriding methods 563

object graph 436, 438

object references 54, 56

- assignment 55, 262
- casting 216
- comparing 86
- equality 560
- nulling 262
- polymorphism 185–186

OO

- contracts 190–191, 218
- deadly diamond of death 223
- design 34, 41, 79, 166–191
- HAS-A 177–181
- inheritance 166–192
- interfaces 219–227
- IS-A 177–181, 251
- overload 191
- override 167–192
- polymorphism 183, 183–191, 206–217
- superclass 251–256

operators

- and autoboxing 291
- bitwise 660
- comparison 151
- conditional 11
- decrement 115

increment 105, 115

logical 151

shift 660

overload 191

constructors 256

override

about 32, 167–192

polymorphism. *See* polymorphism

## P

packages 154–155, 157, 587–593

directory structure 589

organizing code 589

paintComponent() 364–368

parameter. *See* arguments

parameterized types 137

parsing an int. *See* wrapper

parsing text with String.split() 458

pass-by-copy. *See* pass-by-value

pass-by-value 77

phrase-o-matic 16

polymorphism 183–191

abstract classes 206–217

and exceptions 330

arguments and return types 187

references of type Object 211–213

pool puzzle. *See* puzzles

ports 475

prep code 99–102

primitives 53

== operator 86

autoboxing 288–289

boolean 51

byte 51

char 51

double 51

float 51

int 51

- ranges 51
  - short 51
  - type 51
- primitive casting
  - explicit primitive 117
- printf() 294
- PrintWriter 479
- private
  - access modifier 81
- protected 668
- public
  - access modifier 81, 668
- puzzles
  - five minute mystery 92, 527, 674
  - Java cross 22, 120, 162, 350, 426, 603
  - pool puzzle 24, 44, 65, 91, 194, 232, 396

## Q

- quiz card builder 448, 448–451

## R

- rabbit 50
- random() 111
- ready-bake code 112, 152–153, 520
- reference variables. *See* object references
  - casting 216
- registry, RMI 615, 617, 620
- remote control 54, 57
- remote interface. *See* RMI
- reserved words 53
- return types
  - about 75
  - polymorphic 187
  - values 78
- risky code 319–336
- RMI
  - about 614–622
  - client 620, 622

- compiler 618
  - Jini. *See also* Jini
  - Naming.lookup() 620
  - Naming.rebind(). *See also* RMI
  - registry 615, 617, 620
  - remote exceptions 616
  - remote implementation 615, 617
  - remote interface 615, 616
  - rmic 618
  - skeleton 618
  - stub 618
  - UnicastRemoteObject 617
  - universal service browser 636–648
- rmic. *See* RMI
- run()
  - overriding in Runnable interface 494
- Runnable interface 492
  - about 493
  - run() 493, 494
  - threads 493
- runnable thread state 495
- Ryan and Monica 505–506
  - introduction 505–506

## S

- scary objects 200
- scheduling threads
  - scheduling 496–498
- scope
  - variables 236–238, 258–263
- scrolling (JScrollPane) 414
- serialization 434–439, 446
  - deserialization 460
  - interface 437
  - ObjectInputStream. *See* I/O
  - objectOutputStream 432
  - objects 460
  - object graph 436
  - reading. *See* I/O
  - restoring 460. *See also* I/O

## the index

- saving 432
- serialVersionUID 461
- transient 439
- versioning 460, 461
- writing 432
- server
  - socket 483. *See also* socket
- servlet 625–627
- Set 557
  - importance of equals() 561
  - importance of hashCode() 561
- short 51
- short circuit logical operators 151
- sink a dot com 96–112, 139–150
- skeleton. *See* RMI
- sleep() 501–503
- sleeping threads 501–503
- snowboard 214
- socket
  - about 475
  - addresses 475
  - creating 478
  - I/O 478
  - ports 475
  - reading from 478
  - server 483
  - TCP/IP 475
  - writing to 479
- sorting
  - Collections.sort() 534, 539, 547
  - Comparable interface 547, 549
  - Comparator 551, 553
  - TreeSet 564–566
- source files
  - structure of 7
- specifiers
  - format specifiers 295, 298
  - argument specifier 300
- stack
  - heap vs. 236
  - methods on 237
  - scope 236
  - threads 490
  - trace 323
- static
  - enumerated types 671
  - initializer 282
  - Math class methods 274–278
  - methods 274–278
  - static imports 307
  - variables 282
- streams 433. *See also* I/O
- String
  - arrays 17
  - concatenating 17
  - methods 669
  - parsing 458
  - String.format() 294–297
  - String.split() 458
- StringBuffer/StringBuilder
  - methods 669
- stub. *See* RMI
- subclass
  - about 31, 166–192
- super 228
  - about 31
- superclass
  - about 166–192, 214–217, 228
- super constructor 250–256
- Swing. *See* GUI
- synchronized
  - methods 510. *See also* threads
- syntax
  - about 10, 12
- System.out.print() 13
- System.out.println() 13

# T

- talking head 203
- TCP ports 475
- Telluride 30
- testing
  - extreme programming 101
- text
  - parsing with `String.split()` 458–458
  - read from a file. *See also* I/O
  - write to a file 447
- text area (`JTextArea`) 414
- text field (`TextField`) 413
- `Thread.sleep()` 501–503
- threads
  - about 489–515
  - deadlock 516
  - locks 509
  - lost update problem 512–514
  - `run()` 493, 494
  - `Runnable` 492, 493, 494
  - Ryan and Monica problem 505–507
  - scheduling 496, 496–498
  - `sleep()` 501–503
  - stack 490–491
  - `start()` 492
  - starting 492
  - states 495, 496
  - summary 500, 517
  - synchronized 510–512
  - unpredictability 498–499
- throw
  - exceptions 323–326
  - throws 323–326
- transient 439
- `TreeMap` 558
- `TreeSet` 533, 558, 564–566, 566
- try
  - blocks 321, 326

- type 50
  - parameter 137, 542, 544
- type-safety 540
  - and generics 540

# U

- universal service browser 636–648

# V

- variables
  - assigning 52, 262
  - declaring 50, 54, 84, 236–238
  - local 85, 236–238
  - nulling 262
  - primitive 51, 52
  - references 54, 55, 56, 185–186
  - scope 236–238
  - static. *See* static
- variable declarations 50
  - instance 84
  - primitive 51
  - reference 54
- virtual method invocation 175

# W

- web start. *See* Java Web Start
- while loops 11, 115
- wildcard 574
- wine 202
- wrapper 287
  - autoboxing 288–289
  - conversion utilities 292
  - `Integer.parseInt()` 104, 106, 117
- writing. *See* I/O

Don't you know about the web site?  
We've got answers to some of the  
Sharpens, examples, the Code Kitchens,  
Ready-bake Code, and daily updates  
from the Head First author blogs!

# This isn't goodbye

**Bring your brain over to  
[wickedlysmart.com](http://wickedlysmart.com)**

